© Hans Malicky/Austria; download unter www.biologiezentrum.at

TRICHOPTEROLOGICAL LITERATURE

Please help to complete this literature list by sending me reprints or references, including dissertations and similar papers. If you send reprints, please make sure that the complete reference is included, that is the title of the journal, the volume, the year of publication, and the original page numbers.

1980

Bautista,M.-I. 1980
Contribució a l'estudi dels Trichòpters d'Andorra. - Butll.Int.Cat.Hist.Nat.(sec.Zool.) 45:89-96.

1989

Lewis,S.E. 1989
Bibliographic data on fossil Trichoptera from the Upper Mesozoic and the Cenozoic of the Nearctic, Neotropical, Palearctic and Oriental zoogeographical regions. - Occ.pap.Paleobiol.St Cloud State Univ. 3(7):1-22.

1990

Lewis,S.E., Heikes,P.M. 1990
Entomofauna from the Emerald Creek site 1 (Miocene) near the Sunshine Mine, Benewah County, Idaho. - Occ.pap.Paleobiol.St Cloud State Univ. 4(14):1-5.

Lewis,S.E., Heikes,P.M. 1990
Entomofauna from the Emerald Creek site 2 (Miocene) near Fernwood, Idaho. - Occ.pap.Paleobiol.St Cloud State Univ. 4(15):1-5.

Lewis,S.E., Heikes,P.M., Lewis,K.L. 1990
Entomofauna from the Ruby River Basin (Oligocene) near Alder, Montana. - Occ.pap.Paleobiol.St Cloud State Univ. 4(8):1-15.

Lewis,S.E., Heikes,P.M., Lewis,K.L. 1990
Entomofauna from the Clarkia site (P-33) (Miocene) near Clarkia, Idaho.- Occ.pap.Paleobiol.St Cloud State Univ. 4(10):1-8.

Lewis,S.E., Heikes,P.M., Lewis,K.L. 1990
Entomofauna from the Brick Yard site (Miocene) near Spokane, Washington.- Occ.pap.Paleobiol.St Cloud State Univ. 4(11):1-16.

1991

Krno,I. 1991
Macrozoobenthos of the Tatra lakes littoral (The High Tatras) and its affection by acidification. - Biologia (Bratislava) 46:495-508.

Krno,I. 1991
Macrozoobenthos litorálu jazier západných Tatier a ich odtokov. - Zborník prác o tatranskom narodnom parku 31:217-227.

Lewis,S.E., Heikes,P.M. 1991
Fossil caddisfly cases (Trichoptera), Miocene of eastern Washington, U S A. - Occ.pap.Paleobiol.St Cloud State Univ. 4(18):1-8.

Lewis,S.E., Heikes,P.M. 1991
Fossil caddisfly wing (Trichoptera), Miocene of eastern Washington, U S A. - Occ.pap.Paleobiol.St Cloud State Univ. 4(19):1-6.

Lewis,S.E., Heikes,P.M. 1991
Fossil caddisfly case (Trichoptera), Oligocene of eastern Washington, U S A. - Occ.pap.Paleobiol.St Cloud State Univ. 4(20):1-7.

Lewis,S.E., Heikes,P.M. 1991
Fossil caddisfly case (Trichoptera), Oligocene of north central Oregon, U.S.A. - Occ.pap.Paleobiol.St Cloud State Univ. 4(21):1-6.

1992

Barnese,L.E., Lowe,R.L. 1992
Effects of substrate, light, and benthic invertebrates on algal drift in small streams. - J.NABS 11:49-59. (on Brachycentrus americanus)

Krno,I. 1992
(Trichopterans of the Zitava river basin). - Rosalia 8:135-146. (in Slovak)

Kuhara,N. 1992
Notes on insect fauna of the Nagahashi Naebo area, Otaru, central Hokkaido, Japan. No.4 Trichoptera. - Bull.Otaru Mus. 6:45-46. (Japanese)

Lewis,S.E., Carroll,M.A. 1992
Caddisfly case impression from the John Day Formation (Oligocene), north central Oregon. - Occ.pap.Paleobiol.St Cloud State Univ. 6(2):1-6.

Lewis,S.E., Rudolph,B.D., Kaczmarek,J.C. 1992
Fossil Trichoptera from the Ruby River Range (Oligocene), near Alder, Montana. - Occ.pap.Paleobiol.St Cloud State Univ. 6(3):1-9.

1993

Dallai,R., Afzelius,B.A. 1993
Development of the accessory tubules of insect sperm flagella. - J.Submicroscopic Cytol.Pathol. 25:499-504.

Lindenberg,S. 1993
Application of the gut fluorescence method on the littoral herbivore, Tinodes waeneri (Trichoptera), in Lake Esrom, Denmark. - Verh.IVL 25:587-592.

Manuel,K.L., Bohart,R.M. 1993
First report of a twisted-wing insect (Strepsiptera) larva in a caddisfly (Trichoptera). - Ent.News 104:139.

Mey,W. 1993
Kommentiertes Verzeichnis der Köcherfliegen (Trichoptera) der Länder Berlin und Brandenburg, pp.135-145. - In: Gerstberger,M., Mey,W. (Hrsg.): Fauna in Berlin und Brandenburg. Schmetterlinge und Köcherfliegen. Berlin.

Soshkin,D.V. 1993
Parasitic protozoans in water larvae of insects in the basin of the river Ucha near Moscow. - Parasitologija (St.Petersburg) 27:327-331.(Russian)

1994

Burkhardt,R. 1994
Aspekte der ökologischen Isolation der Trichopteren in den Fließgewässern des Vogelsberges. - Beitr.Naturk.Osthessen 29:59-88.

Kiffney,P.M., Clements,W.H. 1994
Effects of heavy metals on a macroinvertebrate assemblage from a Rocky Mountain stream in experimental microcosms. - J.NABS 13:511-523.

Muotka,T., Penttinen,A. 1994
Detecting small-scale spatial patterns in lotic predator-prey relationships: statistical methods and a case study. - Can.J.Fish.Aqu.Sci. 51:2210-2218.

Regel,K.V. 1994
Microsomacanthus paraparvula sp.n. (Cestoda: Hymenolepididae), the parasite of diving ducks of Chukotka. - Parasitologija (St.Petersburg) 28:92-98.(Russian) (on Grensia praeterita)

Ruiz Garcia,A. 1994
Primera cita de Rhyacophila fonticola Giudicelli, 1984 (Trichoptera: Rhyacophilidae) en la Península Ibérica. - Bol.Asoc.Esp.Ent. 18:105.

© Hans Malicky/Austria; download unter www.biologiezentrum.at

Soto,J.de, Fernandez-Alaez,M., Luis-Calabuig,E., Fernandez-Alaez,C. 1994
Spatial and temporal distribution of the caddisfly (Trichoptera) communities of the Sil basin (NW Spain). - Verh.IVL 25:1716-1722.

Yangdong Pan, Lowe,R.L. 1994
Independent and interactive effects of nutrients and grazers on benthic algar community structure. - Hydrobiologia 291:201-209. (on Helicopsyche borealis)

Yasuno,M., Hatakeyama,S. 1994
Monitoring of heavy metal pollution with freshwater invertebrates. Pp.158-160. - In:Salanki,J., Jeffrey,D., Hughes,G.M.(eds.): Biological mkonitoring of the environment: a manual of methods. CAB International, Paris. 167 pp.

1995

Alecke,C. 1995
Trichopterenstudien im Einzugsgebiet des Ladberger Mühlenbaches (Münsterländer Tieflandbucht). - Verh.Westdt.Ent.tag 1994:119-131.

Andrikovics,S., Kiss,O., Mikus,L., Vizslán,L. 1995
Adatok a Zempléni-hegység Trihoptera faunájának ismeretéhez. - Acta Acad.Agr.N.S. 21(Suppl.1):117-124.

Bohle,H.W. 1995
Gehäuse der Köcherfliegen - Struktur, Entstehung und Funktion. - Verh.Westdt.Ent.tag 1994:143-154.

Cain,D.J., Luoma,S.N., Axtmann,E.V. 1995
Influence of gut content in immature aquatic insects on assessment of environmental metal contamination. - Can.J.Fish.Aqu.Sci. 52:2736-2746.

Camargo,J.A., García de Jalón,D. 1995
Structural and trophic changes in a riverine macrobenthic community following impoundment for hydroelectric power generation. - J.Freshw.Ecol. 10:311-317.

Camargo,J.A., LaPoint,T.W. 1995
Fluoride toxicity to aquatic life: a proposal of safe concentrations for five species of Palearctic freshwater invertebrates. - Arch.Environm.Contam.Toxicol. 29:159-163.

Collier,K.J., Smith,B.J. 1995
Sticky trapping of adult mayflies, stoneflies and caddisflies alongside three contrasting stream near Hamilton, New Zealand. - NZ Nat.Sci. 22:1-9.

Gawne,B. 1995
Effects of feeding Agapetus species (Trichoptera) on the density of epilithon in an Australian upland stream. - Mar.Freshw.Res. 46:991-997.

Gawne,B., Lake,P.S. 1995
Effects of microspatial complexity on a herbivore-epilithon interaction in an Australian upland stream. - Freshw.Biol. 33:557-565. (on Agapetus monticolus)

Geissen,H.-P. 1995
Bemerkenswerte Wasserinsekten aus dem Raum Koblenz (Insecta: Heteroptera, Ephemeroptera, Diptera, Trichoptera, Planipennia). - Fauna Flora Rheinland-Pfalz 8:25-32.

Ghosh,S.K., Chaudhury,M. 1995
Trichoptera. Pp.75-79. - In: Ghosh,A.K.(ed.): Fauna of western Himalaya. Part 1: Uttar Pradesh. Zool.Surv.India, Calcutta. 228 pp.

Klima,F. 1995
Die Köcherfliegenfauna Deutschlands - aktueller Kenntnisstand und Schwerpunkte der weiteren Bearbeitung (Insecta: Trichoptera). - Verh.Westdt.Ent.tag 1994:113-118.

Krno,I., Sporka,F., Tirjaková,E., Bulánková,E. 1995
Influence of the construction of the Turček reservoir on the organisms of the river bottom. - Fol. Fac.Sci.Nat.Univ.Masaryk.Brunensis, Biol. 91:53-62.

Krušnik,C. 1995
Pohorske mladoletnice. - Proteus 57:364-365.

Mangeaud,A. 1995
Tiempo optimo de captura de Trichoptera adultos (Insecta), utilizando trampas de luz. - Rev.Asoc.Ci.Nat.Litoral 26:61-63.

Masteller,E.C. 1995
Emergence of aquatic insects during March-April 1993 from streams in the Chiricahua National Monument. - US Forestry Service General Tech.Rep. RM 264:586-589,665.

Muir,D.C.G., Pastershank,G.M., Crosley,R., Noton,L., Ramamoorthy,S., Brownlee,B. 1995
Pathways of accumulation and temporal trends of PCDD/Fs in fishes downstream from a bleached kraft pulp mill on the Athabasca River (Alberta). - Organohalogen Compounds 24:463-468.

Novokshonov,V.G., Ivanov,V.D., Sukacheva,I.D.1995
New Jurassic caddis flies (Insecta, Phryganeida - Trichoptera) from Siberia and Mongolia. - Paleontol.J. 29:157-163.

Pan,Y., Lowe,R.L. 1995
The effects of hydropsychid colonization on algal response to nutrient enrichment in a small Michigan stream,U.S.A. - Freshw.Biol. 33:393-400.

Pöpperl,R., Otto,C.-J. 1995
Zur Fangbarkeit merolimnischer Insekten mittels Lichtfalle. Untersuchungen am Belauer See (Schleswig-Holstein). - Schr.Natwiss.Ver. Schlesw.-Holst. 65:25-45.

Qian Rong, Sridhar,K.R., Bärlocher,F. 1995
Food selection in three leaf-shredding stream invertebrates. - Hydrobiologia 316:173-181. (on Pycnopsyche guttifer)

Regel,K.V., Kashin,V.A. 1995
A life cycle and fine morphology of embryonic shells of Microsomacanthus paraparvula (Cestoda: Hymenolepididae) the parasite of diving ducks in Chukotka. - Parasitologija (St.Petersburg) 29:511-519. (on Grensia praeterita)

Reusch,H., Otto,C.-J., Peters, A. 1995
Kontrolluntersuchungen zur ökologischen Effiuzienz von Sohlgleiten.- Fließgewässerrenaturierung in der Praxis: 141-156. Niedersächs.Landesamt für Ökologie, Hildesheim.

Ruiz Garcia,A. 1995
Primera cita de Ithytrichia dovporiana Botosaneanu, 1980 (Trichoptera: Hydroptilidae) en la Península Ibérica). - Boln.Asoc.esp.Ent. 19:203.

Schuldt,J.A., Hershey,A.E. 1995
Effect of salmon carcass decomposition on Lake Superior tributary streams. - J.NABS 14:259-268.

Tang,J.-X., Siegfried,B.D. 1995
Comparative uptake of a pyrethroid and organophosphate insecticide by selected aquatic insects. - Bull.Environ.Cont.Tox. 55:130-135.

Walton,S.P., Welch,E.B., Horner,R.R. 1995
Stream periphyton response to grazing and changes in phosphorus concentration. - Hydrobiologia 302:31-46.

Yang,L.,Sun,C., Tian,L. 1995
Trichoptera. Pp.286-295. - In: Wu,H.(ed.): Insects of Baishanzu Mountain, eastern China. China Forestry Publ.House, Beijing. 586 pp. (Chinese)

© Hans Malicky/Austria; download unter www.biologiezentrum.at

Zahrádková,S., Fiala,M., Zahráda,J. 1995
The Morava River - benthic macroinvertebrates and water quality. - Fol.Fac.Sci.Nat.Univ.Masaryk. Brunensis, Biol. 91:159-172.

Zamora-Munoz,C., Alba-Tercedor,J. 1995
Primera cita de Halesus tessellatus Rambur,1842 (Trichoptera: Limnephilidae) en la Peninsula Iberica. - Bol.Asoc.Esp.Ent. 19:200-201.

1996

Brivio,M.F., Mazzei,C., Scari,G. 1996
proPO system of Allogamus auricollis (Insecta): Effects of various compounds on phenoloxidase activity. - Comp.Biochem.Physiol.B 113B:281-287.

Bueno-Soria,J., Santiago-Fragoso,S. 1996
Estudios en insectos acuáticos, XIII. Especie nueva del género Hydroptila (Insecta: Trichoptera: Hydroptilidae), de Veracruz, México. - Anales Inst.Biol.Univ.Nac.Autón.México, Ser.Zool. 67:343-347.

Chvojka,P. 1996
New faunistic records of Trichoptera (Insecta) from the Czech Republic. - Čas.Nár.muz.,Řada přírodov.(Praha) 165:131-132.

Gawne,B., Lake,P.S. 1996
The effects of disturbance on a herbivore-epilithon interaction in an upland stream. - Hydrobiologia 331:153-160.

Glover,J.B. 1996
Larvae of the caddisfly genera Triaenodes and Ylodes (Trichoptera: Leptoceridae) in North America. - Bull.Ohio Biol.Survey N.S.11(2):I-VII, 1-89.

Grubbs,S.A., Cummins,K.W. 1996
Linkages between riparian forest composition and shredder voltinism. - Arch.Hydrobiol. 137:39-58.

Haase,P. 1996
Neue und seltene Köcherfliegen aus dem niedersächsischen Hügel- und Bergland (Insecta: Trichoptera). - Lauterbornia 25:41-46.

Hall,R.O.,Jr., Peredney,C.L., Meyer,J.L. 1996
The effect of invertebrate consumption on bacterial transport in a mountain stream. - Limnol.Oceanogr. 41:1180-1187.

Hiramatsu,K. 1996
Estimation of larval size of a net-spinning caddis Hydropsyche orientalis Martynov (Hydropsychidae; Trichoptera), from retreat length measurements in the field. - Jap.J.Limnol. 57:267-272. (Japanese)

Hogg,I.D., Williams,D.D. 1996
Response of stream invertebrates to a global-warming thermal regime: an ecosystem-level manipulation. - Ecology 77:395-407.

Humpesch,U.H. 1996
Case Study - the River Danube in Austria. - Arch.Hydrobiol.Suppl. 113:239-266.

Kagaya,T. 1996
Aquatic insects in the Tama-River - longitudinal distribution of caddisflies. - Aquabiology (Tokyo) 18:447-452. (Japanese)

Kennedy,K.A. 1996
Caddis flies (Trichoptera) from Fetlar, Shetland. - Glasgow Naturalist 23:44-47.

Kiss,O., Schmera,D. 1996
Die Köcherfliegen der Quellregionen des nord-ungarischen Bükk-Gebirges. - Crunoecia 5:67-70.

Kovats,Z.E., Ciborowski,J.J.H., Corkum,L.D. 1996
Inland dispersal of adult aquatic insects. - Freshw.Biol. 36:265-276.

Krno,I., Pomichal,R., Degma,P. 1996
6.3.Caddisflies (Trichoptera). - In: Krno,I., et al (eds): Limnology of the Turiec River Basin (West Carpathians, Slovakia), pp.58-65. - Biologia (Bratislava) Suppl. 2:1-122.

Lancaster,J. 1996
Scaling the effects of predation and disturbance in a patchy environment. - Oecologia 107:321-331.

Larsson,J.I.R. 1996
Two tetrasporoblastic microsporidian parasites of caddis flies (Trichoptera) with description of the new species Episeptum invadens sp.n. and Episeptum circumscriptum sp.n. (Microspora, Gurleyidae). - Arch.Protistenkunde 146:349-362.

Li Peng Hsu, Chin Seng Chen 1996
Four new species of lepidostomatid caddisflies (Trichoptera) from Taiwan. - Chinese J.Ent. 16:219-224.

Liess,M., Schulz,R. 1996
Chronic effects of short-term contamination with the pyrethroid insecticide fenvalerate on the caddisfly Limnephilus lunatus. - Hydrobiologia 324:99-106.

Majecki,J. 1996
Nowe i rzadkie dla fauny Polski chruściki z rodzaju Triaenodes McLachlan, 1865 i Ylodes Milne, 1934 (Trichoptera, Leptoceridae). - Przeglad Zool. 40:215-217.

Malicky,H., Hellrigl,K. 1996
Trichoptera - Köcherfliegen, Haarflügler. - In: Hellrigl,K.(ed.): Die Tierwelt Südtirols, pp.524-531. Naturmuseum Südtirol,Bozen.

Malmqvist,B., Sackmann,G. 1996
Changing risk of predation for a filter-feeding insect along a current velocity gradient. - Oecologia 108:450-458. (on Rhyacophila nubila)

Mihuc,T.B., Minshall,G.W., Mihuc,J.R. 1996
Species-environment relationships among filter-feeding caddisflies (Trichoptera: Hydropsychidae) in Rocky Mountain streams. - Great Basin Nat. 56:287-293.

Morse,J.C., Holzenthal,R.W. 1996
Trichoptera genera. Pp.350-386. - In: Merritt,R.W., Cummins,K.W. (eds.): An introduction to the aquatic insects of North America. Third edition. 862 pp. Kendall/Hunt, Dubuque.

Moulton,S.R.,II 1996
Neotype designations and synonyms of some Texas caddisflies (Trichoptera). - J.Kansas Ent.Soc. 69:272-273.

Moulton,S.R.II, Stewart,K.W. 1996
Caddisflies (Trichoptera) of the interior highlands of North America. - Mem.Amer.Ent.Inst. 56, 313pp.

Newman,R.M., Kerfoot,W.C., Hanscom,Z.,III 1996
Watercress allelochemical defends high-nitrogen foliage against consumption: effects on freshwater invertebrate herbivores. - Ecology 77:2312-2323.

Nozaki,T. 1996
Terrestrial environment for caddisflies. - Aquabiology (Tokyo) 107:430-433. (Japanese)

Pan'kov,N.N., Ivanov,V.D., Novokshonov,V.G. 1996
Caddisflies (Insecta, Trichoptera) of the Sylva River Basin, the Middle Urals. - Russian Ent.J. 5:97-106.

Payne,B.S., Miller,A.C. 1996
Life history and production of filter-feeding on stone dikes in the lower Mississippi River. - Hydrobiologia 319:93-102.

© Hans Malicky/Austria; download unter www.biologiezentrum.at

Poole,R.W., Gentili,P. (eds.) 1996
Nomina Insecta Nearctica: a checklist of the insects of North America. Volume 2: Hymenoptera, Mecoptera, Megaloptera, Neuroptera, Raphidioptera, Trichoptera. - Ent.Inform.Serv.,Rockville. 793 pp.

Saito,K., Masuda,H., Naito,R. 1996
Occurrence of caddisfly adults from summer to autumn in Kushiro wetland, eastern Hokkaido, Japan. - Biol.inland waters 11:20-24.(Japanese)

Soldán,T., Papáček,M., Novák,K., Zelený,J. 1996
The Šumava Mountains: an unique biocentre of aquatic insects (Ephemeroptera, Odonata, Plecoptera, Megaloptera, Trichoptera and Heteroptera - Nepomorpha). - Silva Gabreta 1:179-186.

Solem,J.O., Andersen,T. 1996
Trichoptera, Varfluer. - In: Aagard,K., Dolmen,D.(eds.): Limnofauna Norvegica, pp. 172-180. Tapir Forlag, Trondheim.

Solem,J.O., Gullefors,B. 1996
Trichoptera, Caddisflies. - In: Nilsson,A.N.,(ed.): Aquatic Insects of North Europe - a taxonomic handbook, pp.223-255. Apollo Books, Stenstrup.

Sykora,J.L., McCabe,D.J. 1996
New species of Rhyacophila from Virginia (Insecta: Trichoptera: Rhyacophilidae). - Ann.Carnegie Mus. 65:13-16.

Tarter,D.C., Wilhelm,E.S., Bailey,J.E., Nowlin,M.K. 1996
New record and range extension for Anisocentropus pyraloides (Trichoptera: Calamoceratidae) from West Virginia. - Ent.News 107:243-244.

Valverde,A.C. 1996
Descripcion de los estados preimaginales y de los segmentos genitales de Polycentropus joergenseni Ulmer, 1909 (Trichoptera, Polycentropodidae). - Revta.bras.Ent. 40:65-70.

Wells,A., Andersen,T. 1996
Two new Catoxyethira species from Tanzania (Trichoptera, Hydroptilidae) and a revised key to Tanzanian hydroptilids. - Tijd.Ent. 139:85-89.

Wiggins,G.B. 1996
Trichoptera families. Pp.309-349. - In: Merritt,R.W., Cummins,K.W. (eds.): An introduction to the aquatic insects of North America. Third edition. 862 pp. Kendall/Hunt, Dubuque.

Wissinger,S.A., Sparks,G.B., Rouse,G.L., Brown,W.S., Steltzer,H. 1996
Intraguild predation and cannibalism among larvae of detritivorous caddisflies in subalpine wetlands. - Ecology 77:2421-2430.

1997

Andersen,T., Kjaerandsen,J. 1997
Notoernodes inornatus new genus, new species, first Beraeidae (Trichoptera) to be described from the Afrotropical region. - Proc.8th Int.Symp.Trich.:1-5. Ohio Biol.Survey, Columbus.

Anderson,N.H. 1997
Phenology of Trichoptera in summer-dry headwater streams in western Oregon, U.S.A. - Proc.8th Int.Symp.Trich.:7-13. Ohio Biol.Survey, Columbus.

Angrisano,E.B. 1997
Contribution to the knowledge of the larvae of Hydrobiosidae. I. Neopsilochorema tricarinatum and Australochorema rectispinum. - Proc.8th Int.Symp.Trich.:15-17. Ohio Biol.Survey, Columbus.

Arefina,T.I. 1997
A new species of the genus Ceraclea Stephens (Trichoptera: Leptoceridae) from Zelyonyi Island (South Kuril Islands). - Pan-Pacif.Ent. 73-100-102.

Arefina,T.I. 1997
Three new to the Russia species of the caddisflies (Trichoptera: Leptoceridae). - Far Eastern Ent. 47:18.

Ballesteros Navia,Y.V., Zuniga de Cardoso,M.del C., Rojas de Hernandez,A.M. 1997
Distribution and structure of the order Trichoptera in various drainages of the Cauca River basin, Colombia, and their relationship to water quality. - Proc.8th Int.Symp.Trich.:19-23. Ohio Biol.Survey, Columbus.

Baumgartner,A., Waringer,J.A. 1997
Longitudinal zonation and life cycles of macrozoobenthos in the Mauerbach near Vienna, Austria. - Int.Rev.ges.Hydrobiol. 82:379-394.

Berlin,A. 1997
Erstnachweis von Potamophylax cingulatus (Stephens 1837) (Trichoptera: Limnephilidae) für Mecklenburg-Vorpommern. - Lauterbornia 31:65-66.

Berlin,A., Mehl,D. 1997
Die Trichoptera der Nebel in Mecklenburg-Vorpommern. - Lauterbornia 31:83-97.

Bicchierai,M.C., Gaino,E. 1997
An ultrastructural approach to egg mass organization in some Trichoptera. - Proc.8th Int.Symp.Trich.:25-30. Ohio Biol.Survey, Columbus.

Bicchierai,M.C., Moretti,G.P. 1997
Androconial structure of Limnephilus helveticus Schmid (Trichoptera: Limnephilidae). - Proc.8th Int.Symp.Trich.:31-36. Ohio Biol.Survey, Columbus.

Bicchierai,M.C., Secca,T., Vagnetti,D. 1997
Preliminary study on the localization of guanylate cyclase in the tracheal gills of Rhyacophila dorsalis subacutidens Moretti (Trichoptera: Rhyacophilidae). - Proc.8th Int.Symp.Trich.:37-41. Ohio Biol.Survey, Columbus.

Bitušík,P., Koppová,K. 1997
Macrozoobenthos of the glacial lakes in the low Tatras (West Carpathians): Aquatic insects. - Biologia (Bratislava) 52:227-232.

Blahnik,R.J., Gottschalk,R.M. 1997
New species of Atopsyche from Costa Rica (Trichoptera: Hydrobiosidae). - Ent.News 108:161-174.

Blahnik,R.J. 1997
Systematics of Chimarrita, a new subgenus of Chimarra (Trichoptera: Philopotamidae). - Syt.Ent. 22:199-243.

Botosaneanu,L. 1997
Possible sympatric speciation in Hydroptilidae. - Proc.8th Int.Symp.Trich.:43-48. Ohio Biol.Survey, Columbus.

Botosaneanu,L., Barnard,P.C. 1997
The earliest illustration of Trichoptera. - Proc.8th Int.Symp.Trich.:49-52. Ohio Biol.Survey, Columbus.

Bowles,D.E., Flint,O.S.,Jr. 1997
The genus Phylloicus Müller (Trichoptera: Calamoceratidae) in the United States, with a redescription of Phylloicus ornatus (Banks). - Proc.8th Int.Symp.Trich.:53-58. Ohio Biol.Survey, Columbus.

Bueno-Soria,J., Barba-Alvarez,R., Ramirez Garcia,E., Santiago-Fragoso,S. 1997
Comparative analysis of Trichoptera in three rivers at Chamela, Jalisco, México. - Proc.8th Int.Symp.Trich.:59-63. Ohio Biol.Survey, Columbus.

Bueno-Soria,J. 1997?
Trichoptera. In: Historia Natural de los Tuxtlas:375-378.

© Hans Malicky/Austria; download unter www.biologiezentrum.at

Bueno-Soria,J., Santiago-Fragoso,S. 1997
Studies in aquatic insects XII: Descriptions of nineteen new species of the genus Ochrotrichia Mosely (Trichoptera: Hydroptilidae) from Mexico and Central America. - Proc.Ent.Soc.Wash. 99:359-373.

Burkhardt,R. 1997
Erstfund der Köcherfliege Leptocerus lusitanicus (McLachlan 1884) (Insecta: Trichoptera) in Rheinland-Pfalz. - Fauna Flora Rheinland-Pfalz 8:883-884.

Carl,M. 1997
Die stillgelegte Kiesgrube Jesenwang - Artenreservoir für den Landkreis Fürstenfeldbruck (Oberbayern). 1.Bestandsaufnahme der Wasserinsekten (Ephemeroptera, Odonata, Heteroptera, Planipennia, Coleoptera, Trichoptera). - Nachrbl.Bayer.Ent. 46:81-89.

Chantaramongkol,P., Malicky,H. 1997
Trichoptera from Doi Suthep - Pui National Park, Northern Thailand. - Proc.8th Int.Symp.Trich.: 65-67. Ohio Biol.Survey, Columbus.

Chvojka,P. 1997
Contribution to the knowledge of the caddisfly fauna (Trichoptera, Insecta) of Albania. - Čas.Národn.muz.(Praha),Řada přírodov. 166:27-38.

Cianficconi,F., Moretti,G.P., Tucciarelli,F. 1997
Italian trichopteran fauna: zoogeographical considerations. - Proc.8th Int.Symp.Trich.:69-75. Ohio Biol.Survey, Columbus.

Cianficconi,F., Moretti,G.P. 1997
Ricerche sulla Valle Peligna (Italia Centrale, Abruzzo). 12.Trichoptera (Insecta). - Quaderni di provincia oggi (L'Aquila) 23:225-240.

Cobb,D.G., Rosenberg,D.M., Wiens,A.P. 1997
Responses of caddisflies to experimental flooding of a small peatland lake in northwestern Ontario, Canada. - Proc.8th Int.Symp.Trich.:77-82. Ohio Biol.Survey, Columbus.

Corallini Sorcetti,C., Spinelli Batta,G. 1997
Morphology of the mouth apparatus of adults in some cavernicolous Trichoptera. - Proc.8th Int.Symp.Trich.:83-88. Ohio Biol.Survey, Columbus.

Craft,J.S., Morse,J.C. 1997
The larva, pupa and female of Agapetus jocassee Morse (Trichoptera: Glossosomatidae). - J.Ent.Sci. 32:377-385.

Czachorowski,S. 1997
Limnephilus externus Hagen (Trichoptera: Limnephilidae) in Poland. - Pols.Pis.Ent. 66:117-119.

Czachorowski,S. 1997
Pierwsza informacja o chruścikach Trichoptera ziemi Lubuskiej. - Przegl.Przyrodn. 8:145-146.

Czachorowski,S., Moroz,M. 1997
Materiały do znajomości chruścików Trichoptera Białorusi. - Przegl.Przyrodn. 8:113-120.

Erman,N.A. 1997
Factors affecting the distribution of a new species of Allomyia (Trichoptera: Apataniidae) in cold springs of the Sierra Nevada, California, USA. - Proc.8th Int.Symp.Trich.:89-93. Ohio Biol.Survey, Columbus.

Eskov,K.Yu., Sukatcheva,I.D. 1997
Geographical distribution of the Paleozoic and Mesozoic caddisflies (Insecta: Trichoptera). - Proc.8th Int.Symp.Trich.:95-98. Ohio Biol.Survey, Columbus.

Flint,O.S.,Jr. 1997
Studies of Neotropical caddisflies, LIV: the Patagonian genus Austrocentrus, with the description of its immature stages (Trichoptera: Helicophidae). - Proc.8th Int.Symp.Trich.:99-108. Ohio Biol.Survey, Columbus.

Floyd,M.A., Morse,J.C., Harris,S.C. 1997
Aquatic insects of Lake Jocassee catchment, North and South Carolina. Part II: Caddisflies (Trichoptera) of six additional drainages, with a description of a new species. - J.Elisha Mitchell Sci.Soc. 113:133-142.

Gall,W.K. 1997
Biogeographic and ecologic relationships in the Plenitentoria (Trichoptera). - Proc.8th Int.Symp. Trich.:109-116. Ohio Biol.Survey, Columbus.

Goetsch,P.-A., Palmer,C.G. 1997
Salinity tolerances of selected macroinvertebrates of the Sabie River, Kruger National Park, South Africa. - Arch.Environ.Contam.Toxicol. 32:32-41.

Graf,W. 1997
A new record of the perlid stonefly Agnetina elegantula (Klapálek, 1905) in Europe. - In: Landolt,P., Sartori,M.(eds.): Ephemeroptera & Plecoptera: Biology - Ecology - Systematics: 205-208. MTL Fribourg.

Graf,W., Waringer,J. 1997
The larva of Consorophylax styriacus Botosaneanu, 1967 (Trichoptera: Limnephilidae) from two Carinthian (Austria) mountain brooks. - Aquat.Insects 19:151-154.

Guinand,B., Champely,S., Clermidy,A., Tachet,H. 1997
Investigation of the within- and between-sample colour pattern differentiation in Hydropsyche contubernalis (Trichoptera). - Biol.J.Linn.Soc. 61:223-241.

Halat,K.M., Resh,V.H. 1997
Biological studies of adult Trichoptera: topics, location, and organisms examined. - Proc.8th Int.Symp.Trich.:117-121. Ohio Biol.Survey, Columbus.

Harris,S.C., Armitage,B.J. 1997
New member of the Chilean genus Nothotrichia from North America (Trichoptera: Hydroptilidae). - Proc.8th Int.Symp.Trich.:123-128. Ohio Biol.Survey, Columbus.

Harris,S.C., Holzenthal,R.W. 1997
Mejicanotrichia, a new genus of microcaddisflies from Mexico and Guatemala (Trichoptera: Hydroptilidae). - Proc.8th Int.Symp.Trich.:129-137. Ohio Biol.Survey, Columbus.

Heinig,U. 1997
Dr.Franz Klima (1952-1997) zum Gedenken. - Ent.Nachr.Ber. 41:209-211.

Higler,L.W.G. 1997
Red list of Dutch caddisflies. - Proc.8th Int.Symp. Trich.:139-143. Ohio Biol.Survey, Columbus.

Hoffmann,A. 1997
Adult feeding and reproduction in Lasiocephala basalis (Kol.) females (Trichoptera: Lepidostomatidae). - Proc.8th Int.Symp.Trich.:145-149. Ohio Biol.Survey, Columbus.

Hoffmann,A. 1997
To settle or not to settle? The aggregation behavior of Lasiocephala basalis (Kol.) (Trichoptera: Lepidostomatidae) larvae prior to pupation. - Proc.8th Int.Symp.Trich.:151-156. Ohio Biol.Survey, Columbus.

© Hans Malicky/Austria; download unter www.biologiezentrum.at

Holzenthal,R.W. 1997
The caddisfly (Trichoptera) family Atriplectididae in the Neotropics. - Proc.8th Int.Symp.Trich.: 157-165. Ohio Biol.Survey, Columbus.

Honsig-Erlenburg,W., Konar,M., Huber,T., Gutleb,B., Wieser,G., Friedl,T., Mildner,P. 1997
Zoologische Exkursion des Naturwissenschaftlichen Vereines zur Kolpa (Slowenien). - Carinthia II 187/107:139-152.

Hughes,S.J. 1997
Distribution of Trichoptera larvae in the freshwater lotic habitats of Madeira. - Proc.8th Int.Symp.Trich.:167-175. Ohio Biol.Survey, Columbus.

Hunter,F.F., Sadonoja,T.M. 1997
Effects of temperature and predator:prey ratio on feeding rate in larvae of Atherix lantha Webb (Diptera: Athericidae). - Can.J.Zool. 75:644-647.

Ismail,A.R., Bakar,S. Ramil,M., Edington,J.M. 1997
Descriptions and life history data for larval Hydropsyche doctersi Ulmer (Trichoptera: Hydropsychidae). - Serangga 2:17-28.

Ito,T. 1997
Oviposition preference and behavior of hatched larvae of an oligophagous caddisfly, Palaeagapetus ovatus (Hydroptilidae: Ptilocolepinae). - Proc.8th Int.Symp.Trich.:177-181. Ohio Biol.Survey, Columbus.

Ivanov,V.D. 1997
Vibrations, pheromones, and communication patterns in Trichoptera. - Proc.8th Int.Symp.Trich.:183-188. Ohio Biol.Survey, Columbus.

Ivanov,V.D. 1997
Rhyacophiloidea: a paraphyletic taxon. - Proc.8th Int.Symp.Trich.:189-193. Ohio Biol.Survey, Columbus.

Janeva,I.J., Russev,B.K. 1997
Veränderungen der Artenzusammensetzung und Güteklasse des bulgarischen Donauzuflusses Jantra nach dem Makrozoobenthos. - Lauterbornia 31:1-16.

Johanson,K.A. 1997
Descriptions of the larval stages of Helicopsyche tanzanica and Helicopsyche barbata (Trichoptera: Helicopsychidae). - Proc.8th Int.Symp.Trich.: 195-203. Ohio Biol.Survey, Columbus.

Johanson,K.A. 1997
Zoogeography and diversity of the snail case caddisflies (Trichoptera: Helicopsychidae). - Proc.8th Int.Symp.Trich.:205-212. Ohio Biol.Survey, Columbus.

Johanson,K.A., Wichard,W. 1997
Caddisflies of Baltic Amber. 4.New descriptions of Palaeohelicopsyche (Trichoptera, Helicopsychidae). - Mitt.Münch.Ent.Ges. 87:101-108.

Johanson,K.A. 1997
Copulation mechanism and description of the East Australian Helicopsyche copulata, spec.nov. (Insecta, Trichoptera, Helicopsychidae). - Spixiana 20:219-226.

Johanson,K.A., Willassen,E. 1997
Are the African species of Helicopsyche von Siebold 1856 (Insecta Trichoptera Helicopsychidae) monophyletic? - Tropical Zoology 10:117-128.

Kato,H. 1997
Habitat selection by Micrasema uenoi in a Japanese mountain stream (Trichoptera: Brachycentridae). - Proc.8th Int.Symp.Trich.:213-219. Ohio Biol.Survey, Columbus.

Kiss,O., Schmera,D. 1997
The caddisflies of a refugium area in north Hungary. - Proc.8th Int.Symp.Trich.:221-225. Ohio Biol.Survey, Columbus.

Kjaerandsen,J. 1997
Wiitrichia intropertica new genus, new species, and Cyclopsiella anderseni new genus, new species, two new monobasic genera of microcaddisflies from Ghana (Trichoptera: Hydroptilidae: Hydroptilini). - Proc.8th Int.Symp.Trich.:227-237. Ohio Biol.Survey, Columbus.

Kjaerandsen,J., Andersen,T. 1997
Preliminary check-list of the caddisflies (Trichoptera) of Ghana, West-Africa. - Proc.8th Int.Symp.Trich.:239-247. Ohio Biol.Survey, Columbus.

Kjaerandsen,J., Netland,K. 1997
Pahamunaya occidentalis, new species, from West-Africa, with a redescription of Cyrnodes scotti Ulmer (Trichoptera: Polycentropodidae). - Proc.8th Int.Symp.Trich.:249-257. Ohio Biol.Survey, Columbus.

Kocharina,S.L. 1997
Structural characteristics of the caddisfly community of a small salmon river, South Primorye, Russian Far East. - Proc.8th Int.Symp.Trich.: 259-264. Ohio Biol.Survey, Columbus.

Konar,M. 1997
Beschreibung der Larve von Rhyacophila palmeni McLachlan (Rhyacophilidae, Trichoptera). - Carinthia II 187/107:499-501.

Kriska,G., Andrikovics,S. 1997
The life-history and gut content of Potamophylax nigricornis (Trichoptera, Limnephilidae). - Opusc.Zool.(Budapest) 29-30:113-116.

Kuhara,N. 1997
Notes on insect fauna of the Nagahashi Naebo area, Otaru, central Hokkaido, Japan, No.20. Trichoptera, supplement. - Bull.Otaru Mus. 10:30. (Japanese)

Kuhara,N. 1997
Notes on insect fauna of the Okusawa - Suigenchi area, Otaru, central Hokkaido, Japan. No.8. Trichoptera. - Bull.Otaru Mus. 10:57-62. (Japanese)

Kuhara,N. 1997
Insect faunal survey of Mt.Yôtei, Hokkaido, Japan. Trichoptera. - Bull.Otaru Mus. 10:93-96. (Japanese)

Kuhara,N., Kuranishi,R.B. 1997
Caddisflies (Insecta, Trichoptera) of Hokkaido, Northern Japan. A bibliographical survey. - J.Nat.Hist.Mus.Inst.Chiba 4:147-157. (Japanese)

Kumanski,K. 1997
A comparative estimation of the caddisfly fauna (Insecta: Trichoptera) of Bulgaria and Turkey. - In: Biodiversity and ecological problems of Balkan fauna,Abstr.:77. Sofia.

Kumanski,K. 1997
Contributions to the caddisfly fauna (Trichoptera) of the central-western part of the Balkan Peninsula. - Lauterbornia 31:73-82.

Kuranishi,R.B. 1997
The genus Rhyacophila of the Ryukyu Archipelago, Part I (Trichoptera: Rhyacophilidae). - Proc.8th Int.Symp.Trich.:265-269. Ohio Biol.Survey, Columbus.

Li Peng Hsu 1997
A taxonomic study of Trichoptera from Taiwan (Insecta). Diss., Tunghai University, Taichung, 370pp. (Chinese)

© Hans Malicky/Austria; download unter www.biologiezentrum.at

Li Peng Hsu, Chin Seng Chen 1997
A new species of Uenoa (Trichoptera: Uenoidae) from Taiwan. - Zool.Studies 36:123-126.

Li,Y.J., Morse,J.C. 1997
Phylogeny and classification of Psychomyiidae (Trichoptera) genera. - Proc.8th Int.Symp.Trich.: 271-276. Ohio Biol.Survey, Columbus.

Li,Y.J., Morse,J.C. 1997
Species of the genus Ecnomus (Trichoptera: Ecnomidae) from the People's Republic of China. - Trans.Amer.Ent.Soc. 123:85-134.

Maharaj,L.D., Alkins-Koo,M. 1997
Seasonal occurrence of caddisflies and population dynamics of Helicopsyche margaritensis Botosaneanu in Trinidad, West Indies. - Proc.8th Int.Symp. Trich.:277-282. Ohio Biol.Survey, Columbus.

Majecki,J., Schot,J., Verdonschot,P.F.M., Higler,L.W.G. 1997
Influence of sand cover on mortality and behavior of Agapetus fuscipes larvae (Trichoptera: Glossosomatidae). - Proc.8th Int.Symp.Trich.: 283-288. Ohio Biol.Survey, Columbus.

Majecki,J., Grzybkowska,M., Reddy,R. 1997
Density, production and life cycle of Brachycentrus subnubilus Curtis (Trichoptera: Brachycentridae) in a lowland river, Central Poland. - Hydrobiologia 354:51-56.

Malicky,H 1997
What does biologically successful mean? The enigma of Atriplectididae. - Proc.8th Int.Symp.Trich.: 289-291. Ohio Biol.Survey, Columbus.

Malicky,H., Chantaramongkol,P. 1997
Weitere neue Köcherfliegen (Trichoptera) aus Thailand. Arbeit Nr.20 über thailändische Köcherfliegen. - Linzer biol.Beitr. 29:203-215.

Malicky,H. 1997
Weitere neue Köcherfliegen-Arten (Trichoptera) aus Asien. - Linzer biol.Beitr. 29:217-238.

Malicky,H. 1997
Ein Beitrag zur Kenntnis asiatischer Arten der Gattungen Cheumatopsyche Wallengren 1891 und Potamyia Banks 1900 (Trichoptera, Hydropsychidae).(Zugleich 22.Arbeit über thailändische Köcherfliegen). - Linzer biol.Beitr. 29:1015-1055.

Malicky,H. 1997
Die mediterranen, vorderasiatischen und europäischen Arten der Hydroptila sparsa-Gruppe (Trichoptera, Hydroptilidae). - Ent.Ber.Luzern 38:137-153.

Mathis,M.L. 1997
Primary setation of caddisfly larvae (Trichoptera) with emphasis on limnephiloids. - Proc.8th Int. Symp.Trich.:293-302. Ohio Biol.Survey, Columbus.

Mey,W. 1997
Revision of the type-species of Hydropsychinae and Diplectroninae described by N.Banks from the Philippines (Trichoptera: Hydropsychidae). - Proc.8th Int.Symp.Trich.:303-308. Ohio Biol.Survey, Columbus.

Mey,W. 1997
Die Köcherfliegenfauna des Fan Si Pan - Massivs in Nord-Vietnam. 2.Beschreibung neuer und endemischer Arten aus der Unterordnung Integripalpia (Insecta: Trichoptera). - Entomofauna 18:197-211.

Mey,W. 1997
Phylogeny of the Arctopsyche composita-group (Insecta, Trichoptera: Arctopsychidae) with the description of three new species from Vietnam. - Aquat.Insects 19:155-164.

Monson,M.P. 1997
The caddisflies of the Lake Itasca region, Minnesota (Insecta: Trichoptera). - Proc.8th Int. Symp.Trich.:309-321. Ohio Biol.Survey, Columbus.

de Moor,F. 1997
An unusual caddisfly larva from South Africa, a possible member of the Triplectidinae (Trichoptera: Leptoceridae). - Proc.8th Int.Symp.Trich.:323-330. Ohio Biol.Survey, Columbus.

Moretti,G.P., Cianficconi,F., Corallini,C., Tucciarelli,F. 1997
Trichoptera of the River Nera (central Italy) and symbionts of their larvae. - Proc.8th Int.Symp. Trich.:331-337. Ohio Biol.Survey, Columbus.

Morse,J.C. 1997
Checklist of World Trichoptera. - Proc.8th Int. Symp.Trich.:339-342. Ohio Biol.Survey, Columbus.

Moulton,S.R.II, Harris,S.C. 1997
New species of southwestern Nearctic microcaddisflies (Trichoptera: Hydroptilidae). - Proc.Ent.Soc.Wash. 99:494-501.

Moulton,S.R.II, Stewart,K.W. 1997
A new species and first record of the caddisfly genus Cnodocentron Schmid (Trichoptera: Xiphocentronidae) north of Mexico. - Proc.8th Int. Symp.Trich.:343-347. Ohio Biol.Survey, Columbus.

Moulton,S.R.II, Stewart,K.W. 1997
A preliminary checklist of Texas caddisflies (Trichoptera). - Proc.8th Int.Symp.Trich.:349-353. Ohio Biol.Survey, Columbus.

Muñoz-Quesada,F. 1997
Five new species and a new record of Costa Rican Leptonema Guerin (Trichoptera: Hydropsychidae). - Proc.Ent.Soc.Wash. 99:115-132.

Muñoz-Quesada,F., Holzenthal,R.W. 1997
A new species of Xiphocentron (Antillotrichia) from Costa Rica with semiterrestrial immature stages (Trichoptera: Xiphocentronidae). - Proc.8th Int. Symp.Trich.:355-363. Ohio Biol.Survey, Columbus.

Nagayasu,Y., Ito,T. 1997
Life history of Dicosmoecus jozankeanus in northern Japan, with particular reference to the difference between spring brook and mountain stream populations (Trichoptera: Limnephilidae: Dicosmoecinae). - Proc.8th Int.Symp.Trich.:365-372. Ohio Biol.Survey, Columbus.

Neboiss,A., Wells,A. 1997
Australian Triaenodes species: an overview. - Proc. 8th Int.Symp.Trich.:373-378. Ohio Biol.Survey, Columbus.

Nelson,V.A., Burian,S.K. 1997
A correction to the species list of the caddisflies of Maine. - Northeastern Naturalist 4:50.

Nishimoto,H. 1997
Discovery of the genus Manophylax (Trichoptera, Apataniidae) from Japan with descriptions of two new species. - Jap.J.syst.Ent. 3:1-14.

Nishimoto,H. 1997
A systematic study on the family Apataniidae (Trichoptera) of Japan. - Thesis, Osaka Pref. University, 159 pp.

Nisiharu,S. 1997
Faunal study of imagoes of Ephemeroptera, Plecoptera and Trichoptera collected in Fukui Prefecture. - Ent.J.Fukui 20:55-63. (Japanese)

Nozaki,T. 1997
Trichoptera fauna of Tanzawa and O-yama mountains. - List of fauna and flora of Tanzawa and O-yama: 31-38. Yokohama. (Japanese)

© Hans Malicky/Austria; download unter www.biologiezentrum.at

Nozaki,T. 1997
Trichoptera fauna of Akiruno, Tokyo. - A report on the riverside flora and the aquatic insect fauna in Akiruno-City, Tokyo:26-34. Board of education Akiruno-City,Akiruno. (Japanese)

Nozaki,T., Kuhara,N., Kuranishi,R. 1997
A new record of Ecclisocosmoecus spinosus Schmid (Trichoptera, Limnephilidae) from Japan with a description of female and immature stages. - Jap.J.Ent. 65:211-216.

Nozaki,T., Shimada,T. 1997
Nectar feeding by adults of Nothopsyche ruficollis (Ulmer) (Trichoptera: Limnephilidae) and its effect on their reproduction. - Proc.8th Int.Symp. Trich.:379-386. Ohio Biol.Survey, Columbus.

de Pietro,R., Lombardo,B.M., Vigliansi,F. 1997
Genetic diversity in some species of Hydropsyche (Trichoptera, Hydropsychidae) in central and southern Italy. - Ital.J.Zool. 64:31-39.

Prather,A.L., Syrett,A.L., Morse,J.C. 1997
Females of Rhyacophila (Trichoptera: Rhyacophilidae) from the southeastern United States.-Proc. 8th Int.Symp.Trich.:387-399. Ohio Biol.Survey,Columbus.

Resh,V.H., Wood,J.R., Bergey,E.A., Feminella,J.W., Jackson,J.K., McElravy,E.P. 1997
Biology of Gumaga nigricula (McL.) in a northern California stream. - Proc.8th Int.Symp. Trich.:401-410. Ohio Biol.Survey, Columbus.

Sanchez,M., Hendricks,A.C. 1997
Variations in life history of Cheumatopsyche spp. from a low-order stream in Virginia (USA). - Proc.8th Int.Symp.Trich.:411-415. Ohio Biol.Survey, Columbus.

(Scheven,J.) 1997
Köcherfliegen. - Leben(Hagen, Deutschland) 9:1-31.

Schmera,D., Jiss,O. 1997
A Börzsöny-hegység Bernecei-patakjának trichoptera lárva-együttesei. - Hidrol.közl. 77:96-97.

Schmidt,E.G. 1997
OStR Dr.Jörg Michael Fey (20.5.1950 - 10.7.1996). - Nachrichten Dt.Ges.allg.ang.Ent. 11:99-101.

Schulz,R. 1997
Aquatische Ökotoxikologie von Insektiziden. Auswirkungen diffuser Insektizideinträge aus der Landwirtschaft auf Fließgewässer - Lebensgemeinschaften. - Ecomed, Landsberg/Lech, 167pp.

Schuster,G.A. 1997
Description of a new species of terrestrial limnephilid caddisfly (Trichoptera) from Kentucky and West Virginia (USA). - Proc.8th Int.Symp. Trich.:417-424. Ohio Biol.Survey, Columbus.

Sommerhäuser,M., Robert,B., Schuhmacher,H. 1997
Flight periods and life history strategies of caddisflies in temporary and permanent woodland brooks in the Lower Rhine area (Germany). - Proc.8th Int.Symp.Trich.:425-433. Ohio Biol.Survey, Columbus.

Spinelli Batta,G., Moretti,G.P. 1997
Morphology and distribution of sensilla on the ovipositor of the females of some Italian Trichoptera. - Proc.8th Int.Symp.Trich.:435-440. Ohio Biol.Survey, Columbus.

Spuris,Z. 1997
Dažī noverojumi par udenskukainu faunu 1996. Gada Latvija. - Acta hydroentomol.Latvica 4:21-28.

Spuris,Z. 1997
Olga Kaćalova (1916-1988), a Lativan hydroentomologist. - Proc.Latvian Acad Sci., Sect.B 51:289-291.

StClair,R. 1997
Preliminary guide to the identification of late instar larvae of Australian Philorheithridae, Calamoceratidae and Helicopsychidae (Insecta: Trichoptera). - Co-operative Res.Centre for Freshw.Ecol.,Albury, Identif.guide no.12, 42 pp.

Sykora,J.L., Koryak,M., Fowles,J.M. 1997
Adult Trichoptera as indicators of water quality in the Upper Ohio River Drainage Basin. - Proc.8th Int.Symp.Trich.:441-444. Ohio Biol.Survey, Columbus.

Tanida,K. 1997
Trichoptera fauna of the Ryukyu Islands: taxonomic and ecological prospects. - Proc.8th Int.Symp.Trich.:445-451. Ohio Biol.Survey, Columbus.

Terra,L.S.W., González,M.A., Cobo,F. 1997
Observations on flight periods of some caddisflies (Trichoptera: Rhyacophilidae, Limnephilidae) collected with light traps in Portugal. - Proc.8th Int. Symp.Trich.:453-457. Ohio Biol.Survey, Columbus.

Townsend,C.R., Scarsbrook,M.R., Dolédec,S. 1997
Quantifying disturbance in streams: alternative measures of disturbance in relation to macroinvertebrate species traits and species richness. - J.N.Am.Benthol.Soc. 16:531-544.

Uherkovich,A., Nógrádi,S. 1997
Studies on caddisfly (Trichoptera) communities of larger rivers in Hungary. - Proc.8th Int.Symp. Trich.:459-465. Ohio Biol.Survey, Columbus.

Valverde,A.del C., Miserendino,M.L. 1997
Los estados inmaduros de Parasericostoma ovale (Trichoptera: Sericostomatidae). - Rev.Soc.Ent. Argent. 56:33-37.

Vieira-Lanero,R., González,M.A., Cobo,F. 1997
The larva of Limnephilus wittmeri Malicky, 1972 (Insecta, Trichoptera, Limnephilidae). - Spixiana 20:173-177.

Ward,J.B. 1997
Twelve new species in the New Zealand caddis (Trichoptera) fauna, corrected type localities and new synonyms. - NZ J.Zool. 24:173-191.

Weaver,J.S.III 1997
A new genus of Petrothrincidae (Trichoptera) from Madagascar with specialized modifications in the female terminalia for carrying the eggmass. - Proc.8th Int.Symp.Trich.:467-474. Ohio Biol.Survey, Columbus.

Weinzierl,A. 1997
Oxyethira falcata Morton, 1893, neu für Bayern (Trichoptera, Hydroptilidae). - Nachrbl.Bayer.Ent. 46:80-81.

Wells,A. 1997
A preliminary guide to the identification of larval Hydroptilidae (Insecta: Trichoptera).- Identif.Guide 13:1-28. Co-oper.Res.Centr.Freshw. Ecol.,Albury.

Wells,A., Malicky,H. 1997
The micro-caddisflies of Sumatra and Java (Trichoptera: Hydroptilidae).-Linzer biol.Beitr. 29:173-202.

Wichard,W., Klein,H.P., Herter,P. 1997
Pupal cocoon of Amphiesmenoptera (Lepidoptera + Trichoptera) with evolutionary considerations of the Trichoptera. - Proc.8th Int.Symp.Trich.:475-480. Ohio Biol.Survey, Columbus.

Wiggins,G.B., Parker,C.R. 1997
Caddisflies (Trichoptera) of the Yukon, with analysis of the Beringian and Holarctic species of North America. - In:Danks,H.V., Downes,J.A.(eds.): Insects of the Yukon. Biol.Survey of Canada,Ottawa. Pp.787-866.

© Hans Malicky/Austria; download unter www.biologiezentrum.at

Wiley,M.J., Kohler,S.L., Seelbach,P.W. 1997
Reconciling landscape and local views of aquatic communities: lessons from Michigan trout streams. - Freshw.Biol. 37:133-148.

Winterbottom,J.H., Orton,S.E., Hildrew,A.G. 1997
Field experiments on the mobility of benthic invertebrates in a southern English stream. - Freshw.Biol. 38:37-47. (on Plectrocnemia conspersa)

Wolf,K.W., Novák,K., Marec,F. 1997
Kinetic organization of metaphase I bivalents in spermatogenesis of Lepidoptera and Trichoptera species with small chromosome numbers. - Heredity 79:135-143.

Yang,L., Weaver,J.S.III 1997
An annotated list of the Lepidostomatidae (Trichoptera) of China, with new collection records. - Proc.8th Int.Symp.Trich.:481-487. Ohio Biol.Survey, Columbus.

Yang,L., Morse,J.C. 1997
Six new species of Integripalpia (Trichoptera) from Southern China. - Insecta Mundi 11:45-50.

1998

Andersen,T., Huisman,J. 1998
A new species of Symphitoneuria (Trichoptera: Leptoceridae) from Sabah, Malaysia. - Ent.News 109:37-46.

(Cianficconi,F.) 1998
Trichopterological theses made by students at the Institute of Zoology, University of Perugia (Italy). - Braueria 25:27-34.

Czachorowski,S., Prishchepchik,O. 1998
Further data on Belarussian Trichoptera. - Braueria 25:11.

Gallardo-Mayenco,A., Prenda,J., Toja,J. 1998
Spatio-temporal distribution and ecological preferences of coexisting hydropsychid species (Trichoptera) in two mediterranean river basins (S Spain). - Int.Rev.Hydrobiol. 83:123-134.

Jackson,J. 1998
Preliminary guide to the identification of late instar larvae of Australian Calocidae, Helicophidae and Conoesucidae (Insecta: Trichoptera). - Identif. guide (Coop.Res.Centre Freshw.Ecol.) 16:1-81.

Jackson,J.K., Resh,V.H. 1998
Morphologically cryptic species confound ecological studies of the caddisfly genus Gumaga (Trichoptera: Sericostomatidae) in northern California. - Aquatic Insects 20:69-84.

Johanson,K.A. 1998
Helicopsyche malickyi sp.n. from Borneo (Trichoptera, Helicopsychidae). - Tijd.Ent. 140:177-180.

Kagaya,T., Nozaki,T. 1998
Notes on Japanese Padunia Martynov (Trichoptera: Glossosomatidae), with the description of a new species. - Aquatic Insects 20:97-107.

Leng,K., Yang,L. 1998
Eight new species of Apataniinae (Trichoptera: Limnephilidae) from China. - Braueria 25:23-26.

Lindegaard,C., Brodersen,K.P., Wiberg-Larsen,P., Skriver,J. 1998
Multivariate analyses of macrofaunal communities in Danish springs and springbrooks. - In: Botosaneanu,L. (ed.): Studies in crenobiology. Pp. 201-219. Backhuys;Leiden.

Malicky,H. 1998
Revision der Gattung Mesophylax McLachlan (Trichoptera, Limnephilidae). - Beitr.Ent. 48:115-144.

Malicky,H. 1998
Neue Köcherfliegen (Trichoptera) aus Indien, Myanmar, Nepal, Laos und Palawan. - Braueria 25:20-22.

Mey,W. 1998
Zwei neue Hydropsyche-Arten aus dem Himalaya (Trichoptera: Hydropsychidae). - Ent.Z.(Essen) 108:165-169.

Mey,W. 1998
The genus Hydropsyche Pictet, 1834 on islands in the West Pacific region and description of new species (Trichoptera: Hydropsychidae). - Tijd.Ent. 140:191-205.

de Moor,F. 1998
Katharine Marjorie Frances Scott 19.1.1913 - 26.4.1998. - Braueria 25:4-6.

Neboiss,A., Wells,A. 1998
Review of Australian species of Triaenodes McLachlan (Trichoptera: Leptoceridae). - Mem.Mus.Victoria 57:89-132.

Robert,B. 1998
Quelltypische Köcherfliegen (Insecta: Trichoptera) in Nordrhein-Westfalen (Deutschland). Pp. 109-123. - In: Botosaneanu,L.(ed.): Studies in crenobiology. Backhuys,Leiden.

Robert,B. 1998
In memoriam Dr.Franz Klima (1952-1997). - Braueria 25:7-8.

Robert,B., Schmidt,C. 1998
Ein Beitrag zur Kenntnis der Köcherfliegen-Fauna der Obermainaue (Trichoptera). - Nachrbl.Bayer.Ent. 47:18-29.

Schöll,F., Balzer,I. 1998
Das Makrozoobenthos der deutschen Elbe 1992-1997. - Lauterbornia 32:113-129.

Sipahiler,F 1998
New species of Hydroptilidae, Hydropsychidae and Beraeidae, and new records of Trichoptera from Turkey. - Braueria 25:9-11.

Stolzenwald,T., Schmidt-Brücken,R. 1998
Das Makrozoobenthos der Schwabach und Trubach (Regnitz/Main). - Lauterbornia 32:131-149.

Sun,C., Yang,L. 1998
Studies on the genus Rhyacophila of China (2). - Braueria 25:15-17.

Photographs from the 9th Trichoptera Symposium.
R.Weaver with Lisu women